

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 03/18/2015  
FORM APPROVED  
OMB NO. 0938-0391

|   |  |  |  |   |  |  |                            |
|---|--|--|--|---|--|--|----------------------------|
| STATEMENT OF DEFICIENCIES<br>AND PLAN OF CORRECTION                                   |  | (X1) PROVIDER/SUPPLIER/CLIA<br>IDENTIFICATION NUMBER:<br><br><b>155428</b> |  | (X2) MULTIPLE CONSTRUCTION<br>A. BUILDING _____<br><br>B. WING _____                                |  | (X3) DATE SURVEY<br>COMPLETED<br><br><b>R</b><br><b>03/12/2015</b> |                            |
| NAME OF PROVIDER OR SUPPLIER<br><br><b>MERIDIAN NURSING AND REHABILITATION CENTER</b> |  |  |  | STREET ADDRESS, CITY, STATE, ZIP CODE<br><b>2102 S MERIDIAN ST</b><br><b>INDIANAPOLIS, IN 46225</b> |  |  |                            |
| (X4) ID<br>PREFIX<br>TAG  | SUMMARY STATEMENT OF DEFICIENCIES<br>(EACH DEFICIENCY MUST BE PRECEDED BY FULL<br>REGULATORY OR LSC IDENTIFYING INFORMATION)   |  |  | ID<br>PREFIX<br>TAG   | PROVIDER'S PLAN OF CORRECTION<br>(EACH CORRECTIVE ACTION SHOULD BE<br>CROSS-REFERENCED TO THE APPROPRIATE<br>DEFICIENCY) |  | (X5)<br>COMPLETION<br>DATE |
| {F 000}   | <p>INITIAL COMMENTS</p> <p>This visit was for a Post Survey Revisit (PSR) to the Recertification and State Licensure Survey completed on 1/30/15.</p> <p>Survey date: March 12, 2015</p> <p>Facility number: 000386<br/>Provider number: 155428<br/>AIM number: 100286820</p> <p>Survey team:<br/>Dorothy Plummer, RN-TC<br/>Marsha Smith, RN<br/>Patsy Allen, SW</p> <p>Census bed type:<br/>SNF/NF: 39<br/>Total: 39</p> <p>Census payor type:<br/>Medicare: 5<br/>Medicaid: 25<br/>Other: 9<br/>Total: 39</p> <p>Meridian Nursing and Rehabilitation Center was found to be in compliance with 42 CFR Part 483, Subpart B and 410 IAC 16.2-3.1 in regard to the PSR to the Recertification and State Licensure Survey.</p> <p>Quality review completed on March 17, 2015; by Kimberly Perigo, RN.</p> |  |  | {F 000}   |  |  |                            |

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.